15

# Drapery Motors Electrical/Electronic Control Information

### Low Voltage Modular Switch (recessed wall installation)

Available for drapery motors only. The switch conforms to a single gang junction box. Low voltage switching connections are made from the switching port of the motor to a modular wall RJ-11 jack (phone type) using a modular cable; then inside the wall to the junction box containing the switch. *The modular cable is nonstandard, and should be supplied by SM Auto-matic (see page 13)*. Low voltage 4 conductor wire run within the wall is typically supplied by the electrician. Power to the motor is supplied by a 9 foot power cord. Electrical outlet and wall jack should be positioned behind drapery, typically directly below motor.

#### Low Voltage Modular Switch (hand held or surface mount)

Switch is supplied with a 12 foot, low voltage cable, that plugs into a switching port of the motor. It's recommended that when a motor is to be connected to an automation control system (Crestron, Lutron, Vantage etc.), that an S-1DD is ordered as a means of testing motor function outside of the control system.

#### Wireless Remote Control (WRC) - Radio Frequency (RF)

A radio frequency system which is controlled by a hand-held transmitter. It is omni-directional, digital coded, and has a maximum range of 100'. Transmitters are available to control from 1-12 motors.

### Wireless Remote Control (WRC) - Infrared (IR)

The system is directional, digital coded and has a maximum range of 50 feet. Infrared systems are not subject to possible interference from outside sources, as is sometimes the case with radio frequency controls, but must have line of sight between the transmitter and sensor. A transmitter is available to control from 1-24 motors, individually or as a group.

### **Control System**

When interfacing with a home theater, multi-room control system, or whole-house automation system; three (3) momentary dry contacts are required for full featured, open-stop-close operation. Although, two (2) momentary dry contacts may be utilized to provide open-close functions only.

All drapery motors are *"Smart Motors,"* designed with built-in logic boards. They are all fully compatible with all major control systems, including those manufactured by AMX Corporation, Crestron Electronics, LiteTouch, Lutron Electronics, Phast, and Vantage Controls.



Φ


OPEN

O

Φ










## Electrical/Electronic Control and Wiring Information Legend







## **Drapery Motors**

## Electrical/Electronic Control and Wiring Information Guide


## Wall Switches

S-300A






S-2DD



#### **Radio Frequency Remote Control**

RF-T1






### **Infrared Remote Control**

O

IR-T4




**7** 

5 \_\_\_\_\_ 11 \_\_\_\_ 6 \_\_\_\_ 12 \_\_\_\_


SMAUTOMATIC

IR-T12


RF-T4




RF-T12



IR-K12












- A. S-1DD Switch Individual Control
- B. S-300A or S-2DD Switch Individual Control
- C. Two S-300A or S-2DD Switch Individual Control
- D. S-300A or S-2DD Switch Group Control



E. Individual and Group Switch Control




- F. Individual Radio Frequency Remote Control
- G. Individual Infrared Remote Control
- H. Individual Remote Control with S-1DD Switch
- I. Individual Remote Control with S-300A or S-2DD Switch







J. Double Group Switch Control with S-300B or S-2DD2



#### K. Individual and Group Infrared Remote Control




L. Individual and Group Infrared Remote Control with Individual Switch Control






N.


- M. SPDT Switch Control with Low Voltage SPDT Interface
- Timer and S-300A or S-2DD Switch






Q.


O. Infrared Remote Control with Timer and S-300A or S-2DD Switch




P. Automation Control System



Automation Control System with Individual Infrared Remote Control and S-300A or S-2DD Switch




R. Individual and Group Automation Control System







S. Individual and Group Infrared Remote Co



T. Individual Switch Control with Low Voltage SPDT Interface




U. Individual Switch Control with Low Voltage SPDT Interface and Infrared Remote Control





#### V. Modular Wiring for Direct Drive Motors



#### Х.

Green - Stop Yellow - Open

W.

#### Modular Wiring for Direct Drive Motors Connecting to Automation Control System

